



Made in Austria

INNOVATIVE PRODUCTS IN ALL FIELDS.



REGENT DEVELOPS PERFECT
TECHNIQUE FOR
AGRICULTURE.

FOR OVER 90 YEARS THERE ARE PRO-
DUCED MACHINES FOR AGRICULTURE OF
HIGHEST QUALITY IN THE UPPER AUSTRIAN
ATTNANG-PUCHHEIM.

Longterm experience, the motivation to be better than others and high motivated staff mark up the label REGENT and this is valued by famers in whole Europe.
With REGENT you do not just choose a product – you trust in technique, which arises from an innovative family-owned enterprise. High standard in quality and perfect functional characteristics are in the foreground. Consequently products of REGENT grant highest customer satisfaction.



„WE DEVELOP OUR MACHINES PRACTICE ORIENTED
AND ATTACH GREAT IMPORTANCE TO EASE OF USE.“

„WE DO NOT JUST DEVELOP AND PRODUCE MACHINES,
OUR SOLUTIONS STAND FOR CUSTOMER SATISFACTION.“

THE CUSTOMER IN FOCUS.

DAY-TO-DAY THE COMPETENT SERVICE AND SALES TEAM OF REGENT CARES FOR CONFIDENT CUSTOMERS.

Continuous test inserts of machines under extremest conditions in whole Europe and an intensive customer con-
tact contribute permanent advancements of the label – for unexcelled quality in work and highest user comfort.



REGENT IN THE OVERVIEW.

MORE THAN 100 MOTIVATED EMPLOYEES
are acting in the company REGENT.

IN THE YEAR 1925
the establishment of the company took place.
Ferdinand Berger opened his first blacksmith's shop.

1946
the company Berger brings on the market the first on
the tractor mounted angle plough – a novelty in the
world.

1947
the company was named „REGENT“ and since then it is
run family at the location in Attnang-Puchheim.

ON3 HECTARE PREMISES
there is developed, designed, produced, tested,
mounted and delivered.

IN MORE THAN 35 COUNTRIES
in whole Europe REGENT exports.

WITH MORE THAN 100 TRADING PARTNERS
national and international REGENT is near to the
customer.

FROM AUSTRIAN QUALITY STEEL TO
PERFECT AGRICULTURAL MACHINE.



MADE IN AUSTRIA.

AT REGENT the machines are developed in the headof-
fice in Attnang-Puchheim (OÖ) and in practice exten-
sively tested and produced in series.
Through the tight cooperation of technique and pro-
duction it can be guaranteed that every machine is
transformed down perfectly to the last detail.

WE ADJUST TO THE
GROUND.

Continuous schooling and an intensive interchange
with the sales and serviceteam enables the sales part-
ners to react best as possible to customer requirements
and to modulate ideally the technique from the exten-
sive portfolio to the local conditions.

GUARANTEED QUALITY -
AN ATTRIBUTE OF REGENT.

The security of the quality is on top spot. Every machine
is controlled unexceptionally in detail in the procedure
of production, proven and tested on a test facility on
every feature. Only then the machines come into the
paintwork station and to the finishing. Only through this
the high demand on the quality is ensured at REGENT.

PIONEER

A special developed production process for the pro-
duction of the plough bodies makes REGENT to a pio-
neer in the plough technique.

PRECISION

Modernest technique in production does not only guar-
antee highest precision in production, but also perfect
efficiency of the machines for the use on the field at
highest longevity.



STABILITY

Through the repeated thermic treatment of the basic
material highest stability at lowest abrasion can be en-
sured.

HIGH CLASS WORKMANSHIP

Every machine is mounted per hand and accompa-
nied by experienced employees.



»THE EXPECTATIONS ON OUR PRODUCTS ARE VERY
HIGH. WE DON'T JUST WANT TO MEET THEM, OUR
QUALITY SHOULD INSPIRE!«

Anton Lacher, direction mounting

INNOVATIVE PRODUCTS IN ALL FIELDS.

EVERY MACHINE AN UNIQUE SPECIMEN.

Due to the voluminous possibilities of equipment every machine which leaves the house is going to be an unique specimen. All working machines can be equipped or mounted with the most different supplementary equipment. Also there is a big choice of after-running roller-systems for an ideal re-solidification. At REGENT you find the perfect machine for your demand.

PLOUGH TECHNIQUE

- Eurostar: 2 - 6 furrows, mec. adjustment in width
- Titan: 3 - 6 furrows, hydraulic adjustment in width
- Taurus: 5 - 9 furrows, reversible plough, mech. or hydraulic adjustment in width




POWER HARROWS

- Aress: 3,0 m working width
- Orbit: 3,0 m working width
- KSE: 5,0 – 6,0 m working width



SEEDING TECHNIQUE

- Seedstar RSM: mechanical seeding machine
- RSM 312: 3,0 m working width with double seed plates (DS)



Front-Cutter

- Front-Cutter: 3,0 m working width



Front-ring roller

- Front-ring roller: 2,5 – 3,0 m working width



„OUR VOLUMINOUS OFFER IN SOIL CULTIVATION AND SEEDING TECHNIQUE AND THE EXCEPTIONAL FLEXIBILITY IN EQUIPMENT, ENABLES TO MEET THE REQUIREMENTS OF OUR CUSTOMERS!“

Karl Manaberg, Export

OUR KNOW-HOW –
YOUR ADVANTAGE.


ROTATING DISC CULTIVATOR

- Orkan: 3,0 – 6,0 m working width




Light cultivator

- Terrakan R4 4 beams 3,0 – 6,0 m working width
- Terrakan R6 6 beams 3,0 – 6,0 m working width



CULTIVATOR

- Tukan MSG 3 beams, 2,5 – 5,5 m working width
- Tukan DSG 4 beams, 3,0 – 4,5 m working width
- Tukan VFG 4 beams with Square spiral spring tine, 3,0 m working width



SEEDBED COMBINATION

- Terrastar: 4,4 – 8,0 m working width



**YOUR SATISFACTION
IS OUR JOB!**



DISCOVER MORE FROM
THE WORLD OF REGENT:



Regent Pflugfabrik GmbH
Bahnhofstr. 105
4800 Attnang-Puchheim
Austria



Tel. +43 7674 62661
Fax. +43 7674 62207
info@regent.at
www.regent.at

